

# CK 20 Premium

RAPID HEATER

PRODUCT-NO.: 237835

## Unify warmth and serenity

Heat has an even more relaxing effect if it doesn't cause any annoying noises. This direct heater works particularly quietly in silent mode, thanks to its special fan. We call it silent mode. At the same time, the heating output is so high that you can heat individual rooms quickly.

## The finishing touch to your interior

The appliance impresses with its efficient operation and offers you numerous comfort functions, such as a practical weekly timer. For heat that is almost completely automatic. And the high quality design ensures the heater is a stylish element of your interior décor.

## The main features

Wall mounted rapid heater – ideal as a supplementary heater or interim heater in spring/autumn

---

Quick room air heating

---

High quality design with an aluminium front

---

Operating controls with illuminated LCD screen

---

Weekly timer, 120-minute timer, frost protection and open window detection

---

Silent mode with 1 kW base heating stage

---

Control unit with self-learning capability: automatic calculation of the preheat time in timer mode

---

ON/OFF switch and overheating protection





Type	CK 20 Premium
Part no.	237835

### Technical data

Power supply	1/N/PE ~ 230 V
Rated voltage	230 V
Voltage range	220-240 V
Rated current	8,7 A
Connected load	2 kW
IP rating	IP24
Protection class	I
Colour	alpine white
Sound pressure level	37/48 dB(A)
Setting range	5-30 °C
Height	470 mm
Width	345 mm
Depth	126 mm
Weight	5.30 kg

Depth including wall mounting bracket

## **Contact information**

You have questions? We appreciate to help you:

Call **+27 10 001 85 47** Write an email to **[info@stiebel-eltron.co.za](mailto:info@stiebel-eltron.co.za)**

## **Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.