

## DX 45 E (EX)

### INSTANTANEOUS WATER HEATER FOR SHOWERS

PRODUCT-NO.: 236257

This compact yet powerful STIEBEL ELTRON water heater for a single shower is perfect if you don't have much space to spare in your bathroom. Electric instantaneous water heater with shower head set – the complete solution for single showers. Domestic hot water is provided instantly at the shower, without waiting.



#### The main features

Temperature adjustment via stepless power control

---

Complete set optimised for a single shower

---

Highly efficient composite polymer tank for reduced heat loss and electricity consumption

---

Corrosion-free copper heating element for longer service life

---

5-in-1 shower head with slide bar for convenient height adjustment

---

Compact design for space saving installation

---

Anti-scalding and overheating protection with double action thermostat

---

Protection from electric shock with Earth Leakage Sensing Device (ELSD)

---

Protection class IP25 (splash-proof)



Type	DX 45 E (EX)
Part no.	236257

### Technical data

Cold water connection	1/2 inch
Electrical fuse protection	ELSD
Rated output	4,500 W
Rated current	20.5 A
Display	Standard
Heating element	Copper tubular
Type	Open outlet
Automatic flow switch	true
Heating material	Plastic
Temperature setting	Variable
Temperature control	Output control
Anti-scalding protection	Double acting thermostat
Shower accessories	5-in-1 shower head with wall mounting bracket
Colour	white
IP rating	IP25
Shutdown value	0.8 l/min
Starting flow rate	1.3 l/min
Depth	76 mm
Height	264 mm

Width	186 mm
Weight	0.94 kg

**Contact information**

You have questions? We appreciate to help you:

Call **+27 10 001 85 47** Write an email to **[info@stiebel-eltron.co.za](mailto:info@stiebel-eltron.co.za)**

**Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.